

Acristar Roof

Acrylic Premium Roof Coating









- Weather Resistance
- Anti Fungus
- Dirt resistant
- Long-lasting







Acristar Roof

Acrylic Premium Roof Coating

Acristar Roof is a environmental-friendly high quality durable acrylic emulsion paint with anti-algae, antifungus. Its suitable to use as finishing for roof surface and as top coat for multi layer coating system.

- · Its film provides an excellent resistance against water and alkali
- Its forms a tough and film which as excellent abrasion resistance
- Strong adhesion onto substrate
- · Excellent mould, fungus, algae resistance
- · Environmental-friendly due to low VOC
- · Easy workability and dries quickly
- Excellent weathering, durability and colour retention

Application







Roll On



Brush On







650



401



770



020



564




528



365



647



Acristar Roof Acrylic Premium Roof Coating

ption:

a environmental-friendly high quality durable acrylic emulsion paint with anti-algae, uitable to use as finishing for roof surface and as top coat for multi layer coating

es:

les an excellent resistance against water and alkali bugh and film which as excellent abrasion resistance sion onto substrate uld, fungus, algae resistance al-friendly due to low VOC ility and dries quickly athering, durability and colour retention

Uses:

es of concrete, tiles, metal roof, asbestos board, etct.

: A wide range of colours.

: Satin Finish : 1.23 ± 0.05

: 53 ± 3 wt%

10. of coats : 2 coats Dry Film : 80-100 μm

Coats

: 30 minutes (depending on temperature and humidity)

: 2 hour (depending on temperature and humidity)

: 2 hours

rage at : 0.25 - 0.30 L/m² /2coat

)ry Film

Paint System

: FOR GALVANIZED AND ALUMINIUM SUFACE

Product Name	No. of Coats
SKK Mirac #100 Primer	1
Acristar Roof	2

thods:

: For the 1st and 2nd coats, dilute with 0-10% water

Air Spray : Dilute with 10-15% water

edure : Clean up equipment with water immediately after use.

ation:

ne dry and free from dirt, dust, oil, grease and other foreign matters.

neven surfaces should be kindly treated with SKK cenmentitious filler or suitable ting when the moisture content and the alkalinity of the walls are still high.

ited Surfaces

I such as defective paint film, chalky surface and dust should be removed. It is ply SKK Sealer in order to make good any surface defects.

Japan Head Office 日本

Japan (Headquarters)

SK Kaken Co. Ltd.

5-25, 3-Chome, Nakahozumi,

Ibaraki City, Osaka, 567-0034 Japan.

Tel: (81-721)-21-7727 Fax: (81-726)-21-7728

Malaysia 马来西亚

Manufactured by:

SKK Chemical (M) Sdn. Bhd.

No. 7, Jalan Sepadu 25 / 123, Seksyen 25,

Taman Perindustrian Axis, 40400 Shah Alam,

Selangor Darul Ehsan, Malaysia.

Tel: (603) 5122 4800 Fax: (603) 5122 4808

Website: www.skk.com.my

Singapore 新加坡

SKK (S) Pte. Ltd.

No. 14, Pandan Road, Singapore 609262. Tel: (65) 6274 0020 Fax: (65) 6278 0060

Hong Kong 香港

SKK (HK) Co. Ltd.

Suites 1007-1010, 101F, Pah Sing Financial Centre,

108, Gloucester Road, Wanchai, Hong Kong. Tel: 852-2529-3968 Fax: 852-2527-0299

Korea 韩国

SK Kaken (Korea) Co. Ltd. #1414, Samhuan 8/D, 705-9, Yeoksam-Dong, Gangnam-gu. Seoul 135-080, Korea.

Tel: (82) 2562-1592 Fax: (82) 2562-1594

China 中国

Sikoku Kaken (Shanghai) Co. Ltd.
Units 3-6, 25F, Far East Building A, No. 319
Xianxia Road, Changning District, Shanghai, China.
Tel: 86-21-6209-9169 Fax: 86-21-6209-9189

Thailand 泰国

SK Kaken (Thailand) Co. Ltd.

161/1 SG Tower 5th Floor, Soi Mahadlek Luang 3,

Ratchadamri Rd, Lumpini, Pathumwan,

Bangkok 10330 Thailand.

Tel: (66)2-651-8722 Fax: (66)2-651-8721

Vietnam 越南

SKK (S) Vietnam Representative Office Y Ban Building, Unit #A1, 1th Floor, 69 Thach Thi Thanh St., Dist. 1, HCM City, Vietnam. Tel: (84)8-220-0983 Fax: (84)8-220-0987

India 印度

SKK India Liaison Office 95, V Main, 1B Cross, Domlur 2nd Stage, Bangalore 560 080 India.